

ET

□
□

□
□

□
□

□
□

□
□

■
□

□

□

□
□

□
□

□
□

□
□

□

□

□

□

□ /
□ /

□
□

□
□


□

□

□

□

□



● 1700+



MTC/MTCW/MTCV

MQT

MTCE

MCAS

MDT

MTC/MTCW/MTCV

系列

产品概述

MTC/MTCW/MTCV

1 12 16

产品特点

- 专用调试软件 MtcCompanion /
- 双PID功能 PID 14
- 高精度温度控制 12
- 多路温度控制 PLC HMI
- 通讯便捷



模块规格

		24VDC -15% ~ 20%			
		K J E N T R B			
		Pt100 JPt100 Cu100 Ni120			
		0.2% +			
		0.3%			
		25ms/	100ms/8	100ms/4	
		SSR			
		ON/OFF	PID	PID	PID
		14			
		8			
IO		4			
		0.1s - 10s		1s - 100s	
		4 8			
		MTCV			
	MTC/MTCV	RS485	MODBUS	MCBUS	MODBUS
	MTCW	RS485	RS485		
		-20~60		-40~70	
		10~90%RH		5~95%RH	
		2000m			
		IP20			
		IEC/EN 613626-1 For use in industrial locations		UL61010-1	CE UL

产品型号

MTC

MTC-04-NT	4	(4)		
MTC-08-NT	8	(8)		
MTC-04-NTT	4	(4)	(8)	
MTC-04-NTR	4	(4) (8)	(8)	
MTC-04-NVT	4	(4) (8 0-20mA 4-20mA) (8 0-1V 0-5V 0-10V 1-5V)	(4)	

MTCW

2 RS485

MTCW-04-NTT	4	(4)	(4)	
MTCW-04-NI	4	(4 0-20mA 4-20mA)		
MTCW-04-NV	4	(4 0-1V 0-5V 0-10V 1-5V)		
MTCW-08-NN	8			
MTCW-08-NI	8	(8 0-20mA 4-20mA)		
MTCW-08-NV	8	(8 0-1V 0-5V 0-10V 1-5V)		
MTCW-08-NTT	8	(8)	(8)	
MTCW-12-NT	12	(12)		
MTCW-16-NN	16			
MTCW-08-CT	8	(8)		(8)
MTCW-08-NTD	8	(8) (8)		

MTCV

1 RS485

MTCV-16-NT	16	(16)		
MTCV-08-NT	8	(8)		

高性能

0.1

1ms

PID

MDT

系列

■ 产品概述

■ 产品特点

操作便捷

专用调试软件

MtcCompanion

体积小巧

高精度温度控制

模块规格

